

EMC

Exam E20-351

Storage Attached Network (SAN) Specialist Exam

Verson: Demo

[Total Questions: 10]

Question No : 1

How can you find an HBA's WWN on a Sun host?

- A. cat /var/adm/messages
- B. fcmsutil /dev/td0
- C. sam
- D. smit fe

Answer: A

Question No : 2

What are the device special files naming convention in an AIX environment?

- A. `///PHYSICALDRIVE#`
- B. Block Device is `/dev/dsk/c##d#` and Character Device is `/dev/rdisk/c##d#`
- C. Block Device is `/dev/dsk/c##d#s2` and Character Device is `/dev/rdisk/c##d#s2`
- D. Block Device is `/dev/hdisk#` and Character Device is `/dev/rhdisk#`

Answer: D

Question No : 3

Which management tools may be used to perform zoning operations on M-Series switches?

- A. Connectrix Manager, Connectrix Manager Basic, EMC Control Center
- B. Connectrix Manager, EMC Control Center, Web Tools
- C. Connectrix Manager, Fabric Control Watch, Storage Virtualization Control
- D. Connectrix Manager, Fibre Channel Bridge, Connectrix Manager Basic

Answer: A

Question No : 4

Click the Exhibit button. What is indicated by the No in the Logged in column of the displayed symmask command? Practice exams also include self assessment and reporting features!**Exhibit Missing**

- A. The FA does not have the VCM bit set.
- B. The FA is not logged in to a fabri
- C. The port is not logged in to the FA.
- D. The port is not masked to any devices.

Answer: C

Question No : 5

What is the default initial setup user that installs and sets up the Symmetrix Management Console environment?

- A. eccadmin
- B. emcadmin
- C. smc
- D. smcadmin

Answer: C

Question No : 6

The iSCSI name of a SCSI device is the principal object used in authentication of targets to initiators and initiators to targets. Which of these answers have a correct format?

- A. eui. 169.254.12.169
- B. eui.50060482AEA5574E
- C. inq.2003-04.com.emC. symmetrix.0093:diskarray.1
- D. iqn.50060482AEA5574E:diskarray.1

Answer: B

Question No : 7

Which command is used on an HP-UX server to display newly created LUNs?

- A. lsdev -C -c adapter -S a
- B. ioscan -fnC disk
- C. server_devconfig ALL -p -s -a
- D. probe-scsi-all

Answer: B

Question No : 8

In an iSCSI client-server architecture, what are devices that provide a request service to storage components (logical units) known as?

- A. Client
- B. Device server
- C. Initiator
- D. Target

Answer: D

Question No : 9

When installing EMC PowerPath on a Linux host, which command will initiate the install?

- A. installp
- B. pkgadd
- C. rpm
- D. swinstall

Answer: C

Question No : 10

Click the Exhibit button. Which type of connector is the pictured component known as?

****Exhibit Missing****

- A.** FC connector
- B.** LC connector
- C.** RJFC connector
- D.** SC connector

Answer: D