

# HP

## Exam HP0-A113

### HP Data Protector 9.x Essentials

Version: Demo

[ Total Questions: 10 ]

**Question No : 1**

Which Data Protector component performs the deduplication in case server side or source side deduplication is used?

- A. User interface
- B. StoreOnce Software Deduplication Agent
- C. Media Agent
- D. Disk Agent

**Answer: C**

Reference:

<http://www8.hp.com/h20195/V2/getpdf.aspx/4AA4-8380ENW.pdf?ver=1.0>

**Question No : 2**

Which condition must be fulfilled before a Data Protector medium can be exported from the cell?

- A. The medium must be unprotected.
- B. The medium must be protected.
- C. There must be no data stored on the medium.
- D. There must be no references to the medium in the IDB.

**Answer: A**

Reference:

[http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr\\_na-c01704747](http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c01704747)

**Question No : 3**

The Web Reporting tool has a blank password after a Cell Manager installation. Where in the Data Protector interface should you set this password?

- A. Users context of the Data Protector GUI
- B. Internal Database context of the Data Protector GUI
- C. Clients context of the Data Protector GUI
- D. Reporting context of the Data Protector GUI

**Answer: B**

Reference:

<http://h30499.www3.hp.com/t5/Data-Protector-Support-and-News/data-protector-5-5/td-p/4781358>

**Question No : 4**

Which action initializes tapes from the HP Data Protector software GUI Devices and Media context?

- A. Import
- B. Initialize
- C. Export
- D. Format

**Answer: B**

Reference:

[http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr\\_na-c02029318](http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02029318)

**Question No : 5**

When the Automatic device selection restore option is used, what happens if the original device is NOT available"?

- A. Restore waits until the original backup device is available
- B. Restore uses the next available device of the same device type
- C. Restore picks up a device with the device policy. Device may be used for restore
- D. If the original backup device is not available, the restore fails

**Answer: C**

**Question No : 6**

Which logical device always performs an auto- initialization of new media before backup?

- A. File Library
- B. Standalone Device
- C. Stacker
- D. File Jukebox

**Answer: D**

Reference:

[http://h20564.www2.hp.com/hpsc/doc/public/display?docId=emr\\_na-c01699252](http://h20564.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c01699252)

**Question No : 7**

You are about to restore a critical system, and you want to verify the objects. Which methods should you choose? (Selecttwo)

- A. omniojverify command-line utility
- B. ornnimcopy command-line utility
- C. omniobjcopy command-line utility
- D. Object Operations context of the Data Protector GUI
- E. Devices and Media context of the Data Protector GUI

**Answer: A,C**

**Question No : 8**

Which logging level has the most influence on backup performance, making the backup process slower?

- A. Log Files

- B. Log All
- C. No Log
- D. Log Directories

**Answer: B**

**Question No : 9**

The file server data was backed up within a full backup on January 5 and within incremental backups on January 6, 7, and 8. If you selected version Jan 8 in Restore GUI, which backup versions were read and restored?

- A. version January 5 and 8 only
- B. version January 8 only
- C. version January 6, 7, and 3 only
- D. version January 5, 6, 7, and 8

**Answer: C**

**Question No : 10**

You want to create a 1:1 copy of your tapes. Which Data Protector copy operation should you select?

- A. Object copy
- B. Object consolidation
- C. Media vaulting
- D. Media copy

**Answer: D**

Reference:

<http://www8.hp.com/h20195/v2/getpdf.aspx/c04282549.pdf?ver=5>